.



<u>Video</u> <u>News</u> <u>Maps</u>

categorizer categories select

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 738 for categorizer categories select (0.10 seconds)

All Results

W Pratt O Zaiane M Antonie

D Lewis G Csurka [PDF] A knowledge-based approach to organizing retrieved documents - all 16 versions »

W Pratt, MA Hearst, L Fagan - Proceedings of AAAI, 1999 - ics.uci.edu

... The categorizer takes advantage of this informa- tion to determine which categories

to select and which documents to assign to those categories. ...

Cited by 60 - Related Articles - View as HTML - Web Search

Classifying text documents by associating terms with text categories - all 3 versions »

OR Zaïane, ML Antonie - Australian Computer Science Communications, 2002 - portal.acm.org ... a new document The association-rule-based text categorizer is a set ... 5. The dom- inance factor allows us to select among the candidate categories only the ... Cited by 47 - Related Articles - Web Search

Experiments with a hierarchical text categorizer - all 2 versions »

D Tikk, G Biro, JD Yang - Fuzzy Systems, 2004. Proceedings. 2004 IEEE International ..., 2004 ieeexplore.ieee.org

... 756, Korea E-mail: jdyang@cs.chonbuk.ac.kr Absiraci— HITEC is a hierarchical text categorizer tool that ... descr(c,), and select that category that gives ... Cited by 1 - Related Articles - Web Search

PROVIDING TRAINING INFORMATION FOR TRAINING A CATEGORIZER - all 2

versions »

E KIRSHENBAUM, H SUERMONDT, G FORMAN, S ... - 2006 - freepatentsonline.com ... labels with respect to a given category, to select cases which the categorizer cannot confidently associate with any category, and to select cases that match ... Cached - Web Search

[PDF] Experiments with HITEC: a Hierarchical Text Categorizer - all 2 versions »

D Tikk, G Biro - bmf.hu

... on the effectiveness of HITEC software (HIerarchical TExt Categorizer) on several ...

j we have to select from k categories: $c 1, \ldots, c k \in C$. Then we ...

Related Articles - View as HTML - Web Search

System and method for inducing a top-down hierarchical categorizer - all 3 versions »

GH Forman, HJ Suermondt - US Patent 6,990,485, 2006 - Google Patents

... w CATEGORIZER ^ CATEGORIES Page 4. US Patent Jan. ... 1. System 200 40 includes records without labels (unlabeled records) 202, categorizer 106 and categories 204. ...

Related Articles - Web Search

[PDF] The effect of using hierarchical classifiers in text categorization - all 3 versions » SD'Alessio, K Murray, R Schiaffino, A Kershenbaum - Proc. of 6th International Conference Recherche d' ..., 2000 - iona.edu

... would incorrectly be placed in the category with that ... goodness value occurs multiple times, we select the lowest ... have been set we have a complete categorizer. ... Cited by 30 - Related Articles - View as HTML - Web Search

CDM: an approach to learning in text categorization - all 4 versions »

JL Goldberg - International Journal on Artificial Intelligence Tools, 1996 - doi.ieeecomputersociety.org ... cognitive psychology, and used to select from all ... of documents in accordance with previously specified categories. ... is to make each categorizer responsible ... Cited by 20 - Related Articles - Web Search



categorizer categories select user



Advanced Scholar Search Scholar Preferences Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 540 for categorizer categories select user. (0.10 secon

All Results

E Liddy

H Chen

[PDF] A knowledge-based approach to organizing retrieved documents - all 16 versions »

W Pratt, MA Hearst, L Fagan - Proceedings of AAAI, 1999 - ics.uci.edu

... of a document's keywords do not corre-spond to the user's query, the categorizer

must prune the irrelevant keywords from the list of potential categories ...

Cited by 60 - Related Articles - View as HTML - Web Search

W Pratt G Attardi

W Paik

Text Categorization for Multiple Users Based on Semantic Features from a Machine-Readable Dictionary

ED LIDDY, W PAIK, ES YU - portal.acm.org

... At the retrieval stage, users select categories of interest from this same set to represent their query and to retrieve relevant news articles. The accuracy, ...

Cited by 39 - Related Articles - Web Search

[PDF] From Group Memory to Project Awareness Through Use of the Knowledge Depot - all 5 versions »

M Kantor, B Zimmermann, D Redmiles - California Software Symposium, 1997 - 216.174.109.102 ... Depot Mailbox Categorizer Messages ... New Categories User Interface messages Message Message ... New Categorization of Messages List of messages in Message Descriptor ...

Cited by 18 - Related Articles - View as HTML - Web Search

Internet Categorization and Search: A Self-Organizing Approach - all 9 versions »

H Chen, C Schuffels, R Orwig - Journal of Visual Communication and Image Representation, 1996 - Elsevier ... able sizes, ready for hypertext browsing and/or category- ... expert group facilitator utilized an existing Categorizer tool to ... SOM output as a straw-man list for ... Cited by 149 - Related Articles - Web Search

[PS] Facile: Classifying texts integrating pattern matching and information extraction - all 7 versions »

F Ciravegna, A Lavelli, N Mana, J Matiasek, L ... - Proceedings of the Sixteenth International Joint Conference ..., 1931 - ifi.unizh.ch

... Shallow Categorizer Module The shallow categorizer has been ... than above are obtained for interme- diate categories. ... significant from the point of view of system ...

Cited by 25 - Related Articles - View as HTML - Web Search

Automatic Web Page Categorization by Link and Context Analysis - all 10 versions »

G Attardi, A Gulli, F Sebastiani - Proceedings of THAI, 1999 - faure iei pi.cnr.it

... We have developed, also in Java, a categorizer program that ... However it is important to select as initial ... also to provide support for queries within categories. ...

Cited by 94 - Related Articles - Web Search

IPDFI Machine assisted browsing for the naive user - all 2 versions »

MS Fox, AJ Palay - ideals.uiuc.edu

... the user's view of the structure. ... gorization hierarchy, the category a user thinks suitable for an entry may not be the one chosen by the categorizer. ...

Cited by 2 - Related Articles - View as HTML - Web Search

Taxonomies by the numbers: building high-performance taxonomies

SC Gates, W Teiken, KSF Cheng - Proceedings of the 14th ACM international conference on ..., 2005 portal.acm.org

... The purpose of the Taxonomy Workbench is to select an optimal ... The other major component is a standalone Categorizer that uses the category models created ...



categorizer categories select user incentive



Advanced Scholar Search Scholar Preferences Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 85 for categorizer categories select user incentive. (0

All Results

W Chung H Chen

P Persson

B Marshall

K Williams

Searching content information based on standardized categories and selectable categorizers

RW Winter - 2004 - freepatentsonline.com

... has been selected, generate the error message, "Please select a Content Category" followed by ... of the ItemOrCategory used as a categorizer, where BusinessRule ...

Cached - Web Search

Facilitating content generation via participant interactions

K Code, JC Park, KF Leong, A Dubey, VP Images, P ... - freepatentsonline.com ... more additional tags from one or more categorizer users who are ... and/or allowing the user to select from various ... be used to combine various category and keyword ... Cached - Web Search

Facilitating content generation via messaging system interactions

K Code, JC Park, KF Leong, VP Images, P Class - freepatentsonline.com ... using regular expression syntax and/or allowing the user to select from various ... operators that should be used to combine various category and keyword matches ... Cached - Web Search

Content generation revenue sharing

K Code, JČ Park, KF Leong, VP Images, P Class - freepatentsonline.com ... using regular expression syntax and/or allowing the user to select from various ... operators that should be used to combine various category and keyword matches ... Cached - Web Search

Facilitating content generation via paid participation

K Code, JC Park, KF Leong, VP Images, P Class - freepatentsonline.com ... using regular expression syntax and/or allowing the user to select from various ... operators that should be used to combine various category and keyword matches ... Cached - Web Search

GIS and Decision Support

SK Gallo - 1995 - gis.esri.com

... APPENDIX A: GroupSystems Tool Definitions CATEGORIZER List building format ... Categorizing mode: participants can create categories from a list which they ...

Cited by 1 - Related Articles - Cached - Web Search

SHARK, a Multi-Agent System to Support Document Sharing and Promote Collaboration all 4 versions »

A Di Stefano, G Pappalardo, C Santoro, E ... - Peer-to-Peer Systems, 2004. International Workshop on Hot ..., 2004 - ieeexplore.ieee.org

... to Categorizer ... 2. The site category database is then queried, to find the SHARK servers ... by a user query and when one of the names of the list of matching users ...

Cited by 3 - Related Articles - Web Search

Methods and systems for enabling efficient employment recruiting

I Talib, Z Talib - 2001 - freepatentsonline.com

... 13 is a screen shot of a categorizer in accordance with an ... then insert a search term 3001 and select a taxonomy ... a taxonomy, the user then selects a category 502 ... Cached - Web Search



Home | Login | Logout | Access Information | Alerts | Purchase History | " Cart | Sitemap

Welcome United States Patent and Trademark Office

☐Search Results BROWSE

WSE SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((categories)<in>metadata) <and> ((review)<in>metadata))<and> ((display..." Your search matched 6 of 1752210 documents.

🖸 e-mail 📇 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

View Session History

New Search

» Key

IEEE JNL IEEE Journal or

Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IET CNF IET Conference

Proceeding

IEEE STD IEEE Standard

Modify Search		
(((categories) <in>m</in>	etadata) <and> ((review)<in>metadata))<and> ((display)<in>m</in></and></in></and>	D
Check to search	ch only within this results set	
Display Format:		

IEEE/IET Books Educational Courses Application Notes [IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

view selected items | Select All | Deselect All

 Light wave coupled flat panel displays and solid-state lighting using hybrid inorganic/orga materials

Steckl, A.J.; Heikenfeld, J.; Allen, S.C.;

Display Technology, Journal of

Volume 1, <u>Issue 1</u>, Sept. 2005 Page(s):157 - 166 Digital Object Identifier 10.1109/JDT.2005.853269

AbstractPlus | Full Text: PDF(7288 KB) IEEE JNL

Rights and Permissions

2. Image processing for higher definition television (Invited Paper)

Tonge, G.;

Circuits and Systems, IEEE Transactions on

Volume 34, Issue 11, Nov 1987 Page(s):1385 - 1398

AbstractPlus | Full Text: PDF(2320 KB) | IEEE JNL

Rights and Permissions

3. The R-CUBE: Reviewing, Reinforcing and Rewarding after Successful Module Completion

O'Leary, C.;

Software Engineering Education and Training Workshops, 2006. CSEETW '06. 19th Conference

19-21 April 2006 Page(s):11 - 11

Digital Object Identifier 10.1109/CSEETW.2006.20

AbstractPlus | Full Text: PDF(192 KB) IEEE CNF

Rights and Permissions

4. Polymer electroluminescence: principles and prospects

Bradley, D.D.C.;

Novel Display Technologies, IEE Colloquium on

21 Jun 1995 Page(s):1/1

AbstractPlus | Full Text: PDF(44 KB) | IET CNF

5. MMS: an electronic message management system for emergency response

Andersen, H.B.; Garde, H.; Andersen, V.;

Engineering Management, IEEE Transactions on

Volume 45, <u>Issue 2</u>, May 1998 Page(s):132 - 140

Digital Object Identifier 10.1109/17.669758

AbstractPlus | References | Full Text: PDF(232 KB) | IEEE JNL

Rights and Permissions

merce.



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library
The Guide

categorizer categories select

SEARON

THE ACY DIGITAL LIBRARY

Feedback

categorizer categories select

Terms used: categorizer categories select

Found 17 of 239,726

Sort results by relevance

Save results to a Binder

Refine these results with Advanced

Search

Display results expanded form ▼ Open results in a new window

Try this search in The ACM Guide

Results 1 - 17 of 17

Categorization in multiple category systems

Jean-Michel Renders, Eric Gaussier, Cyril Goutte, Francois Pacull, Gabriela

June 2006 ICML '06: Proceedings of the 23rd international conference on Machine learning

Publisher: ACM

Full text available: pdf(180.24 KB) Additional Information: full citation, abstract, references,

We explore the situation in which documents have to be categorized into more than one category system, a situation we refer to as multiple-view categorization. More particularly, we address the case where two different categorizers have already ...

Ads by Google

Work at Google Google is hiring expert computer scientists and software developers! www.google.com/jobs

Leading DSS & **Analytic** Consulting for Health Plans. Download a Free Information Guide! www.Medstat.com/Decisic

Simulation Modelina **Fast Monte Carlo** Simulation in Excel - Free Examples,

www.Solver.com/RiskSolv

2 Learning rules with negation for text categorization

Pasquale Rullo, Chiara Cumbo, Veronica L. Policicchio March 2007 SAC '07: Proceedings of the 2007 ACM symposium on Applied computing

Publisher: ACM

Full text available: pdf(193.37 KB) Additional Information: full citation, abstract, references, index terms

This paper describes Olex, a novel method for the automatic construction of rule-based text classifiers. Olex relies on an optimization algorithm whereby a set of (both positive and negative) discriminating terms is generated for the category being learned. ...

Keywords: classification rules, negative features, text classification

3 Creating MAGIC: system for generating learning object metadata for

instructional content

Ying Li, Chitra Dorai, Robert Farrell

November 2005 MULTIMEDIA '05: Proceedings of the 13th annual ACM international conference on Multimedia

Publisher: ACM

Additional Information: full citation, abstract, references, Full text available: pdf(197.55 KB) cited by, index terms

This paper presents our latest work on building a system called MAGIC (Metadata Automated Generation for Instructional Content) that will automatically identify segments and generate critical metadata conforming Your MIS Security Career New! Ask the MIS Security Expert. Answers to InfoSec **Career Questions** www.uFairfax.net



Subscribe (Full Service) Register (Limited Service, Free) Login

The ACM Digital Library O The Guide Search:

categorizer categories select share

SEARCH

the acm digital library

Feedback

categorizer categories select share

Terms used: categorizer categories select share

Found 5 of 239,726

Sort results

by

relevance

Save results to a Binder

Open results in a new

Refine these results with Advanced

Search

Try this search in The ACM Guide

Display results

expanded form

window

Results 1 - 5 of 5

1 Pragmatic text mining: minimizing human effort to quantify many

issues in call logs

George Forman, Evan Kirshenbaum, Jaap Suermondt

August 2006 KDD '06: Proceedings of the 12th ACM SIGKDD international conference on Knowledge discovery and data mining

Publisher: ACM

Additional Information: full citation, abstract,

Full text available: pdf(852.08 KB)

references, cited by, index

terms

We discuss our experiences in analyzing customer-support issues from the unstructured free-text fields of technical-support call logs. The identification of frequent issues and their accurate quantification is essential in order to track aggregate costs ...

Keywords: applications, log processing, quantification, supervised machine learning, text classification, text mining

2 Harnessing the Expertise of 70,000 Human Editors: Knowledge-Based Feature Generation for Text Categorization

Evgeniy Gabrilovich, Shaul Markovitch

October 2007 The Journal of Machine Learning Research, Volume 8

Publisher: MIT Press

Full text available: pdf(369.02 KB) Additional Information: full citation, abstract, index

Most existing methods for text categorization employ induction algorithms that use the words appearing in the training documents as features. While they perform well in many categorization tasks, these methods are inherently limited when faced with more ...

Creation of an expert witness database through text mining

Christopher Dozier, Peter Jackson, Xi Guo, Mark Chaudhary, Yohendran Arumainayagam

June 2003 ICAIL '03: Proceedings of the 9th international conference on Artificial intelligence and law

Publisher: ACM

Full text available: pdf(244.73 KB) Additional Information: full citation, abstract, references, cited by

Ads by Google

Work at Google Google is hiring expert computer scientists and software developers! www.google.com/jobs

Leading DSS & **Analytic** Consulting for Health Plans. Download a Free Information Guide! www.Medstat.com/Decisio

Simulation Modeling Fast Monte Carlo Simulation in Excel - Free Examples, Trial www.Solver.com/RiskSolv

Your MIS Security Career New! Ask the MIS Security Expert. Answers to InfoSec **Career Questions** www.uFairfax.net



Subscribe (Full Service) Register (Limited Service, Free) Login

Search:

The ACM Digital Library
The Guide

categorizer categories payment

SEARCH

the acm digital library

Feedback

categorizer categories payment

Terms used: categorizer categories payment

Found 1 of 239,726

Sort results

by

relevance

Save results to a Binder

Open results in a new

Refine these results with <u>Advanced</u>

<u>Search</u>

Try this search in The ACM Guide

Display results

expanded form

window

Results 1 - 1 of 1

1 Harnessing the Expertise of 70,000 Human Editors: Knowledge-Based

Feature Generation for Text Categorization

Evgeniy Gabrilovich, Shaul Markovitch

October 2007 The Journal of Machine Learning Research, Volume 8

Publisher: MIT Press

Full text available: pdf(369.02 KB) Additional Information: full citation, abstract, index terms

Most existing methods for text categorization employ induction algorithms that use the words appearing in the training documents as features. While they perform well in many categorization tasks, these methods are inherently limited when faced with more ...

Ads by Google

Download PDF
Converter
Convert Document
& Image formats
into PDF. Fast
Download
Guaranteed!
PDFConverter.PDF-forma

Simulation
Modeling
Fast Monte Carlo
Simulation in Excel
- Free Examples,
Trial
www.Solver.com/RiskSolv

Leading DSS & Analytic
Consulting for
Health Plans.
Download a Free
Information Guide!
www.Medstat.com/Decisic

Easy Decision
Trees
Fast Decision Tree
Software See
Examples. Free
Download!
www.SmartDraw.com

Results 1 - 1 of 1

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	1338	S4 and (categor\$3 and categoriz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 12:35
S7	153	S6 and (categor\$3 and categoriz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 13:21
S15	2	"20040260669"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 14:48
S16	1	"20040260669" and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 16:04
S17		"20020154157" and (category or categories or reviewers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 16:14
S19		"20020178082" and (category or categories or reviewers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 16:15
S18	211513	20020178082and (category or categories or reviewers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 16:25
S20	1	"20030074516" and (category or categories or reviewers (review\$1 near3 content) or ((catetory or categoriies) with extractor\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 16:32

S21	2	"20030195863" and (category or categories or reviewers (review\$1 near3 (content or category or categories)) or ((catetory or categoriies) with extractor\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 16:39
S28		"20040193591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 10:17
S30	3	"2002015415"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:30
S29	2	"20030009448"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:30
S31	2	"20020154157"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:24
S32	1	"20030009448" and expert	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:25
S33	1	"20030009448" and associates	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:52
S35	1	"20040193591" and point\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:02

S34	1	"20040193591" and order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:02
S36	2	"20040193591" and categorizer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:16
S39	1	"20010025259" and (rating\$1 or ordering)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:10
S38	1	"20010025259" and reviewer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:10
S40	1	"20010025259" and (rating\$1 or ordering or order\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:11
S43	0	"20030009448" and (list with reviewers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:19
S41		"7072846".pn. and (rating\$1 or ordering or order\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:19
S44	1	"7072846".pn. and list\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF _.	2006/09/15 14:20

S45	0	"7072846".pn. and (list\$3 with reviewers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:25
S48		"7072846".pn. and (product\$1 or service\$1 or security or intelligence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:35
S46	. 2	"7072846".pn. and (music or movie\$1 or song\$1 or literature or arts or artswork or page\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:35
S42	1	"20030009448" and (rating\$1 or ordering or order\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:38
S49	0	"20030009448" and (security)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:39
S50	2	"20030009448"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:42
S56	0	"7072846".pn. and (art)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 15:01
S47	1	"7072846".pn. and (webpage\$1 or (web near3 page\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 15:01

				1		
S55	0	"7072846".pn. and (art or craft or wine or cheese or beer or legal or medical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 15:02
S60	1055	(charg\$3 or fee\$1) near5 (reviewer\$1 or categorizer\$1 or classifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 15:46
S68	2	"20030074516"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:44
S67	3	"20030195863"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:44
S70	2	"20010003828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/15 16:45
S69		"20020154157"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:45
S72	2	"20030158872"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:46
S71	3	"20030115550"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:46

S75	2	"20020169851"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:47
S74	2	"20020049738"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:47
S73	2	"20010025259"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:47
S82	2	"20050131917"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 17:50
S83	3	((byte adj stream\$1) same tree\$1 same node\$1) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/14 17:54
S86	119	S85 and (hierarchy or tree or node\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 17:55
S94	270	707/1.ccls. and (human or person or categorizer\$1 or critic\$1) near5 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 07:56
S92	75	S91 and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 07:56

S91	96	707/2.ccls. and (human or person or categorizer\$1 or critic\$1) near5 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 07:56
S90	167	S89 and human	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 07:56
S97	0	S90 and S93 and "L110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 07:57
S96	100	S95 and human	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 07:57
S95	157	S94 and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 07:57
S93	59	S92 and human	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 07:57
S98	3	S90 and S93 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 08:00
S10 0	2	"20030009448"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 08:03

S99	1	"20030009448" and (display\$3 or categor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 08:03
S87	2	"20040193591" and system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 08:04
S10 2	2	"5537618".pn. and (display\$3 or categor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 08:16
S10 1	2	"20040193591" and (display\$3 or categor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 08:16
S89	236	S88 and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 08:31
S11 4		"5537618".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/04/18 11:08
S11 6	2	"20020062358"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 11:48
S11 5	2	"20030043144"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 11:48

	r		···			
S11 7	4	"805888".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 10:57
S12 0	47	(categorizer\$1) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:05
S11 9	127	(categorizer\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:05
S2	210	(categorizer\$1) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:05
S12 3	23483	(human or person or categorizer\$1 or critic\$1) near3 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:06
S12 2	22073	(human or person or categorizer\$1 or critic\$1) near5 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:06
S12 1	34008	(human or person or categorizer\$1 or critic\$1) near5 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:06
S3	51819	(human or person or categorizer\$1 or critic\$1) near5 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:06

	•					
S12 6	1277	((human or person or categorizer\$1 or critic\$1) near5 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3)) with (content\$1 or subject\$1 or material\$1) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:07
S12 5	1760	((human or person or categorizer\$1 or critic\$1) near5 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3)) with (content\$1 or subject\$1 or material\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/17 11:07
S12 4	16288	(human or person or categorizer\$1 or critic\$1) near3 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/17 11:07
S6	2863	((human or person or categorizer\$1 or critic\$1) near5 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3)) with (content\$1 or subject\$1 or material\$1) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:07
S4	36697	(human or person or categorizer\$1 or critic\$1) near3 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:07
S12 7	223	(human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) near6 (content\$1 or material\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:08
S13 1	224	reviewer\$1 and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:09
S13 0	1036	reviewer\$1 and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:09

S12 9	94	(human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) near6 (content\$1 or material\$1) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:09
S12 8	223	(human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) near6 (content\$1 or material\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:09
S13	1328	reviewer\$1 and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:09
S12	288	(human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) near6 (content\$1 or material\$1) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:09
S13 3	19	(reviewer\$1 with (material\$1 or content\$1)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:10
S13 2	168	(reviewer\$1 with (material\$1 or content\$1)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:10
S14	188	(reviewer\$1 with (material\$1 or content\$1)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:10
S13 7	269	(review\$3 near3 (content or category or categories)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:11

S13 6	1117	(review\$3 near3 (content or category or categories)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:11
S13 5	18340	(human near6 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2007/10/17 11:11
S13 4	45540	(human near6 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:11
S22	1368	(review\$3 near3 (content or category or categories)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:11
58	51435	(human near6 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:11
S14 1	3289827	(((human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3))) with content\$1 or material\$1) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:12
S14 0	833419	(((human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3))) with content\$1 or material\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:12
S13 9	11717	(human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:12

S13 8	32189	(human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:12
S10	5251641	(((human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3))) with content\$1 or material\$1) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:12
S9	34199	(human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:12
S14 2	634	(human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) with (content\$1 or material\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:13
S23	309	(review\$3 near3 (category or categories)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:13
S11	658	(human near3 (review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3)) with (content\$1 or material\$1) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:13
S14 8	2	((reviewer\$1 near3 (category or categories or categoriz\$5))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ÓR	OFF	2007/10/17 11:14
S14 7	12	((reviewer\$1 near3 (category or categories or categoriz\$5))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:14

S14 6	8	((review\$3 near3 (category or categories or categoriz\$3)) with (content\$1 or material\$1)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:14
S14 5	32	((review\$3 near3 (category or categories or categoriz\$3)) with (content\$1 or material\$1)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/17 11:14
S14 4	37	(review\$3 near3 (category or categories)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:14
S14 3	259	(review\$3 near3 (category or categories)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:14
S26	21	((reviewer\$1 near3 (category or categories or categoriz\$5))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:14
S24	35	((review\$3 near3 (category or categories or categoriz\$3)) with (content\$1 or material\$1)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:14
S14 9		hand?categorized and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:15
S27	2	hand?categorized and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:15

S25	1	((reviewer\$1 near3 (category or categories or categoriz\$5)) with (content\$1 or material\$1)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:15
S15 3	10	((reviewer\$1) near5 (paid or payment\$1 or point\$1 or credit\$1 or rank\$1 or ranking\$1 or reward\$1 or money or monetary)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:16
S15 2		((reviewer\$1) near5 (paid or payment\$1 or point\$1 or credit\$1 or rank\$1 or ranking\$1 or reward\$1 or money or monetary)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:16
S15 1	0	((reviewer\$1 near3 (category or categories or categoriz\$5)) with (content\$1 or material\$1)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:16
S15 0	1	((reviewer\$1 near3 (category or categories or categoriz\$5)) with (content\$1 or material\$1)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:16
S37	47	((reviewer\$1) near5 (paid or payment\$1 or point\$1 or credit\$1 or rank\$1 or ranking\$1 or reward\$1 or money or monetary)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:16
S15 5	53	((product\$1 near5 services) with (craft or wine or cheese or beer or legal or medical)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:17
S15 4	201	((product\$1 near5 services) with (craft or wine or cheese or beer or legal or medical)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:17

S58	213	((product\$1 near5 services) with (craft or wine or cheese or beer or legal or medical)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:17
S15 7	2	(review\$3 with ((product\$1 near5 services) with (craft or wine or cheese or beer or legal or medical)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:18
S15 6	9	(review\$3 with ((product\$1 near5 services) with (craft or wine or cheese or beer or legal or medical))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:18
S59	7	(review\$3 with ((product\$1 near5 services) with (craft or wine or cheese or beer or legal or medical))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:18
S57	489	((product\$1 near5 services) with (art or craft or wine or cheese or beer or legal or medical)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:18
S15 9	84.	((product\$1 near5 services) with (art or craft or wine or cheese or beer or legal or medical)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:19
S15 8	461	((product\$1 near5 services) with (art or craft or wine or cheese or beer or legal or medical)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:19
S16 3	7	(reviews with (security or defense)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:20

S16 2	87	(reviews with (security or defense)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:20
S16 1	9	(reviews with (security or intelligence)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:20
S16 0	75	(reviews with (security or intelligence)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/17 11:20
S54	. 89	(reviews with (security or intelligence)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:20
S52	100	(reviews with (security or defense)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:20
S16 7	0	(reviews with (security and intelligence)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:21
S16 6	0	(reviews with (security and intelligence)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:21
S16 5	0	(reviews with categor\$3 with (security or defense)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:21

S16 4		(reviews with categor\$3 with (security or defense)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:21
S53	0	(reviews with (security and intelligence)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:21
S51	0	(reviews with categor\$3 with (security or defense)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:21
S16 9	109	(charg\$3 or fee) near5 (reviewer\$1 or categorizer\$1 or classifier\$1) and @prad<"20040801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:22
S16 8	44	(charg\$3 or fee) near5 (reviewer\$1 or categorizer\$1 or classifier\$1) and @rlad<"20040801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:22
S62	192	(charg\$3 or fee) near5 (reviewer\$1 or categorizer\$1 or classifier\$1) and @ad<"20040801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:22
S17 2	342	S170 and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:23
S17 1	159	S170 and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:23

S17 0	1097	(charg\$3 or fee\$1) near5 (reviewer\$1 or categorizer\$1 or classifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:23
S17 6	104	((posting\$1 or post) with fee) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:24
S17 5	176	((posting\$1 or post) with fee) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:24
S17 4	63	((posting\$1 or post) near6 fee) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:24
S17 3	91	((posting\$1 or post) near6 fee) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:24
S66	153	((posting\$1 or post) near6 fee) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/17 11:24
S65	254	((posting\$1 or post) with fee) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:24
S18 0	2	(charg\$3 or fee) near5 (reviewer\$1 or categorizer\$1) and @prad<"20040801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:25

						1
S17 9	. 7	(charg\$3 or fee) near5 (reviewer\$1 or categorizer\$1) and @rlad<"20040801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:25
S17 8	0	(fee with reviewer\$1) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:25
S17 7	0	(fee with reviewer\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:25
S64	1	(fee with reviewer\$1) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:25
S63	13	(charg\$3 or fee) near5 (reviewer\$1 or categorizer\$1) and @ad<"20040801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:25
S18 6	0	((picking\$ or select\$3 or choos\$3) near3 reviewer\$1 near5 (categor\$3 or classification\$1 or classes)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:26
S18 5	1	((picking\$ or select\$3 or choos\$3) near3 reviewer\$1 near5 (categor\$3 or classification\$1 or classes)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:26
S18 4	4	((picking\$ or select\$3 or choos\$3) with reviewer\$1 with (categor\$3 or classification\$1 or classes)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:26

S18 3	7	((picking\$ or select\$3 or choos\$3) with reviewer\$1 with (categor\$3 or classification\$1 or classes)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:26
S18 2	4	(user near5 categor\$3 near5 categorizer\$1) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:26
S18 1	29	(user near5 categor\$3 near5 categorizer\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:26
S78	12	((picking\$ or select\$3 or choos\$3) with reviewer\$1 with (categor\$3 or classification\$1 or classes)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:26
S77	2	((picking\$ or select\$3 or choos\$3) near3 reviewer\$1 near5 (categor\$3 or classification\$1 or classes)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:26
S76	37	(user near5 categor\$3 near5 categorizer\$1) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:26
S18 9	16	((picking\$ or select\$3 or choos\$3) with (field or genre) with (reviewer\$1)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:27
S18 8	95	((picking\$ or select\$3 or choos\$3) with (classifier\$1 or categorizer\$1) with (categor\$3 or classification\$1 or classes)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:27

						,
S18 7	180	((picking\$ or select\$3 or choos\$3) with (classifier\$1 or categorizer\$1) with (categor\$3 or classification\$1 or classes)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:27
S80	10	((picking\$ or select\$3 or choos\$3) with (field or genre) with (reviewer\$1)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:27
S79	350	((picking\$ or select\$3 or choos\$3) with (classifier\$1 or categorizer\$1) with (categor\$3 or classification\$1 or classes)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:27
S19 4	2	((byte adj stream\$1) same hierarchy) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:28
S19 3	10	((byte adj stream\$1) same hierarchy) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:28
S19 2	. 27	((picking\$ or select\$3 or choos\$3) with (field or genre) with (categorizer\$1 or classifier)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/17 11:28
S19 1	28	((picking\$ or select\$3 or choos\$3) with (field or genre) with (categorizer\$1 or classifier)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:28
S19 0	0	((picking\$ or select\$3 or choos\$3) with (field or genre) with (reviewer\$1)) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:28

Page 22

S84	23	((byte adj stream\$1) same hierarchy) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:28
S81	56	((picking\$ or select\$3 or choos\$3) with (field or genre) with (categorizer\$1 or classifier)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:28
S19 8	552	S197 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:29
S19 7	552	707/3.ccls. and (human or person or categorizer\$1 or critic\$1) near5 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:29
S19 6	38	((byte adj stream\$1) same serial\$5) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:29
S19 5	122	((byte adj stream\$1) same serial\$5) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:29
S88	488	707/3.ccls. and (human or person or categorizer\$1 or critic\$1) near5 (evaluat\$3 or categoriz\$3 or criticiz\$3 or assess\$3 or recogniz\$3 or judg\$3 or identify\$3 or edit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:29
S85	236	((byte adj stream\$1) same serial\$5) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:29

C00		// // - 1 - 42 - 11 - 45	110 000:10	On	055	2007/10/17 11 22
S20 0	4034	((display\$3 with categor\$5) or (display\$3 with (categoriz\$5 or recommender\$1 or reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:30
S19 9	5787	((display\$3 with categor\$5) or (display\$3 with (categoriz\$5 or recommender\$1 or reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:30
S10 3	10471	((display\$3 with categor\$5) or (display\$3 with (categoriz\$5 or recommender\$1 or reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:30
S20 6	754	((display\$3 near3 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:31
S20 5	1660	((display\$3 near3 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:31
S20 4	992	((display\$3 with (categoriz\$5 or recommender\$1 or reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:31
S20 3	1203	((display\$3 with (categoriz\$5 or recommender\$1 or reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:31
S20 2	984	((display\$3 with (categoriz\$5 or reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:31

S20 1	1188	((display\$3 with (categoriz\$5 or reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:31
S10 8	2556	((display\$3 near3 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:31
S10 5	2101	((display\$3 with (categoriz\$5 or reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:31
S10 4	2146	((display\$3 with (categoriz\$5 or recommender\$1 or reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:31
S21 1	1251	((display\$3 near2 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:32
S21 0	1091	((display\$3 near5 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:32
S20 9	2240 .	((display\$3 near5 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:32
S20 8	1785	((display\$3 with (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:32

\$20 7	3269	((display\$3 with (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:32
S10 7	3589	((display\$3 near5 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:32
S10 6	5473	((display\$3 with (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:32
S21 8	89	((display\$3 near2 (reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:33
S21 7	81	((display\$3 near2 (reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:33
S21 6	130	((display\$3 near3 (reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:33
S21 5	115	((display\$3 near3 (reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:33
S21 4	567	((display\$3 near2 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:33

S21 3	1251	((display\$3 near2 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:33
S11 2	297	((display\$3 near3 (reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:33
S10 9	1915	((display\$3 near2 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:33
S22 5	243	((display\$3 with (reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:34
S22 4	196	((display\$3 near5 (reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:34
\$22 3	152	((display\$3 near5 (reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:34
S22 2	89	((display\$3 near2 (reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:34
S22 1	81	((display\$3 near2 (reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:34

						· · · · · · · · · · · · · · · · · · ·
S22 0	89	((display\$3 near2 (reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:34
S21 9	81	((display\$3 near2 (reviewer\$1 or evaluator\$1))) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:34
S11 3	210	((display\$3 near2 (reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:34
S11 1	413	((display\$3 near5 (reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:34
S11 0	661	((display\$3 with (reviewer\$1 or evaluator\$1))) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:34
S22 6	333	((display\$3 with (reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:35
S23 1	17	S127 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:39
S23 0	196	S124 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/17 11:39

		·				
S22 9	481	S123 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:39
S22 8	228	S122 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:39
S22 7	607	S121 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:39
S23 4	168	S130 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:40
S23 3		S129 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:40
S23 2	17	S128 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 11:40
S11 8	2	"20040193591" and system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖFF	2007/10/17 11:59
S23 6	0	"20040193591" and (shar\$3 same early same subsequent same incentive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 12:00

S23 7	1	"20040193591" and ((shar\$3 same incentive\$1) or early or subsequent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 12:01
S23 5	1	"20040193591" and (shar\$3 or early or subsequent or incentive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 12:31
S23 8	1	"20040193591" and ((subsequent with categorization\$1) or (early with categorization))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 12:32
S21 2	567	((display\$3 near2 (categories or categorizer\$1 or reviewer\$1 or evaluator\$1))) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 12:35
S23 9	1181	(shar\$3 with (incentive\$1 or money or payment\$1 or reward\$1)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 12:36
S24 0	8	((shar\$3 with (incentive\$1 or money or payment\$1 or reward\$1)) with (reviewer\$1 or categorizer\$1 or contributor\$1 or assessor\$1)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 12:37
S1	1765255	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/19 11:35
S24 2	2	"20010039500" and (shar\$3 with incentive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 11:37

S24 1	2	"20010039500" and (shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 11:37
S24 5	2	"20060288072"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 11:38
S24 3	0	"20060288072" and (shar\$3 with incentive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/19 11:38
S24 4	0	"20060288072" and (shar\$3 same incentive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 11:39
S24 6	1	"20060288072" and (shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 11:40
S25 0	0	"7143089.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 11:45
S24 9	0	"7143089.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 11:45
S24 8	0	"7143089.pn" and (shar\$3 same incentive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 11:45

			LIC DCDUD	On	OFF	2007/10/10 11:45
S24 7	1	"20070100898" and (shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 11:45
S25 1	2	"7143809".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 11:46
S25 2	8	"782873".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/10/19 11:47
S25 3	2	"20010047290" and (shar\$3 same incentive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 12:17
S25 4	1	"20030009448" and (select\$3 or display\$3 or result\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 12:38
S25 6		"7072846".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 12:49
S25 5	1	"20030009448" and categor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 12:49
S25 7		"7072846".pn. and shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 12:55

				· · · · · · · · · · · · · · · · · · ·		
S25 8	4	"20010047290"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 12:56
S25 9	4	"20010047290"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:12
S26 1	0	"20030043144" and (taste or style)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:13
S26 0	.1	"20030009448" and (taste or style)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:13
S26 3		"805888".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:29
S26 2	. 2	"7072846".pn. and (taste or style)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:29
S26 4	1	"20040193591" and (number near5 user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:34
S26 7	1	"20040193591" and (sum\$1 or incentive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:49

		and the same of th				
S26 6	0	"20040193591" and (sum\$1 with incentive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/10/19 13:49
S26 5	1	"20040193591" and ((number near5 user\$1) or short or time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:49
S61	608	S60 and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:50
S26 9	864	((sum near5 one) with select\$3) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:52
S26 8	9562	(sum near5 one) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 13:52
S27 0	13	((sum near5 one) with select\$3 with user\$1) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/10/19 13:56
S27 2	6	"588985".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 14:19
S27 4	0	"6741989".pn. and sum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 14:21

S27 3	2	"6741989".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 14:21
S27 6	1	"6741989".pn. and (partnership with one)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 14:22
S27 5	2	"6741989".pn. and partnership	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 14:22
S27 1	2	"20040193480"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 16:17
S27 8	4	"805888".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 16:29
S27 7	2	"7072846".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 16:29
S27 9	1	"20040193591" and cost\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 16:57
S28 0	1	"7072846".pn. and cost\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 16:58

			_			
S28 1	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/22 09:27
S28 2	2	"20040193591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 11:57
S28 3	19594	((review\$3 or identif\$4 or classif\$3 or classify\$3 or rat\$3) same (reward\$3 or incentive\$1 or cash or money)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:14
S28 5	7729	((review\$3 or rate\$1 or categoriz\$5) same (reward\$3 or incentive\$1 or cash or money)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:15
S28 4	16229	((review\$3 or identif\$4 or classif\$3 or classify\$3 or rate\$1 or categoriz\$5) same (reward\$3 or incentive\$1 or cash or money)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:15
S28 6	2279	S285 and categor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2008/02/27 13:16
S28 8	2	"2000201046"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:17
\$28 7	2	"2000201046"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:17

S28 9	0	(method near2 system near2 screening near2 chemical near3 customers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:18
S29 0		"200184352"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:19
S29 2	2	((human adj evaluation) near3 continued)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:20
S29 1	257	(human adj evaluation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:20
S29 3		"20030037062" and (reviewer\$1 or (human near3 evaluation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:23
S29 4	726	S286 and categoriz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:26
S29 5	726	S294 and (incentive\$1 or reward\$3 or money or cash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:27
S29 6	10	S294 and categorizer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:29

S29 7	1	"20040193591" and (incentive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:31
S29 8	4	"20010047290"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:34
S29 9	3	"20010047290" and (categor\$3 or categoriz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 13:35
S30 0	1	"20030043144" and (categor\$3 or categoriz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 14:20
S30 1	1	"20030043144" and (categor\$3 or categoriz\$5 or reviewer\$1 or review\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 14:25
S30 2	1	"20050060283" and shared	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 15:09
S30 3	3	"20010047290" and (shared or categor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2008/02/27 15:10
\$30 4	1	"7072846".pn. and (reviewer\$1 or paid or shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 15:41

						2000/00/07 := =
S30 5	4	"612575".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2008/02/27 15:54
S30 6	3	"805888".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 10:25
S30 7	2	"20030009448"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 10:39
\$30 8	2	"20030043144"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 11:19
S30 9	2	"20040010518"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 13:52
S31 0	2	"20030009448"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 15:01
S31 1	3	"805888".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 15:18
S31 2	. 1	"20040193591" and (sum with one)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 15:19

S31 4	1	"20030043144" and (tast\$3 or style\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 16:15
S31 3	2	"20030043144"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 16:15
L6	0	L5 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:57
L5	92	(reviews with (security or defense)) and @rlad<"20020801" .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:57
L4	1	L3 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:57
L3	215	((product\$1 near5 services) with (craft or wine or cheese or beer or legal or medical)) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2008/02/28 17:57
L2	1	L1 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:57
L1	204	((product\$1 near5 services) with (craft or wine or cheese or beer or legal or medical)) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:57

L9	0	L7 and 707/3.ccls.	US-PGPUB;	OR	OFF	2008/02/28 17:58
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L8	0	L7 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:58
L7	99	(charg\$3 or fee) near5 (reviewer\$1 or categorizer\$1 or classifier\$1) and @prad<"20040801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:58
L17	108	((posting\$1 or post) with fee) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2008/02/28 17:59
L16	186	((posting\$1 or post) with fee) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:59
L15	7	L13 and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:59
L14 -	41	L13 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:59
L13	272	((posting\$1 or post) with fee) and @ad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:59

L12	0	L11 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:59
L11	160	L10 and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:59
L10	1109	(charg\$3 or fee\$1) near5 (reviewer\$1 or categorizer\$1 or classifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 17:59
L20	1	L17 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 18:00
L19	67	((posting\$1 or post) near6 fee) and @prad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2008/02/28 18:00
L18	96	((posting\$1 or post) near6 fee) and @rlad<"20020801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 18:00